

FIG. 1A





FIG. 1B



FO2020-98656860

T02020" 98E56860




FIG. 2




FIG. 3

102020" 98E56860







FIG. 4

FOUO" 98E6860



(R)

(L)




FIG. 8




FIG. 9




FIG. 10

1020/0" 98E56860



102070" 98E56860




FIG. 12






FIG. 13




FIG. 14




FIG. 15

[illegible]




FIG. 16

FOUO 20 9856860




FIG. 18

102020" 98E56B60







FIG. 17




FIG. 19

FO2070" 98E56860

FIG. 20A

-2.00	-1.75	-1.50	-1.25	-1.00	-0.75	-0.50	-0.25	-0.00	CYL \ SPH
									-0.00
									-0.25
									-0.50
									-0.75
									-1.00
									-1.25
									-1.50
									-1.75
									-2.00
									-2.25
									-2.50
									-2.75
									-3.00
									-3.25
									-3.50
									-3.75
									-4.00
									-4.25
									-4.50
									-4.75
									-5.00
									-5.25
									-5.50
									-5.75
									-6.00
									-6.25
									-6.50
									-6.75
									-7.00
									-7.25
									-7.50
									-7.75
									-8.00

FIG. 20B

CYL \ SPH	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00
+0.00									
+0.25									
+0.50									
+0.75									
+1.00									
+1.25									
+1.50									
+1.75									
+2.00									
+2.25									
+2.50									
+2.75									
+3.00									
+3.25									
+3.50									
+3.75									
+4.00									
+4.25									
+4.50									
+4.75									
+5.00									

FIG. 20C

CYL \ SPH	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00
+0.25							
+0.50							
+0.75							
+1.00							
+1.25							
+1.50							
+1.75							

T.02020" 98E56860




FIG. 21






FIG. 22

09895386-070201

FO2020" 98E56860




FIG. 23

FO2040" 98E56860




FIG. 24




FIG. 25




FIG. 26



FIG. 27A

SPH	-2.00	-1.75	-1.50	-1.25	-1.00	-0.75	-0.50	-0.25	-0.00	CYL
-0.00										-0.00
-0.25										-0.25
-0.50										-0.50
-0.75										-0.75
-1.00										-1.00
-1.25										-1.25
-1.50										-1.50
-1.75										-1.75
-2.00										-2.00
-2.25										-2.25
-2.50										-2.50
-2.75										-2.75
-3.00										-3.00
-3.25										-3.25
-3.50										-3.50
-3.75										-3.75
-4.00										-4.00
-4.25										-4.25
-4.50										-4.50
-4.75										-4.75
-5.00										-5.00
-5.25										-5.25
-5.50										-5.50
-5.75										-5.75
-6.00										-6.00
-6.25										-6.25
-6.50										-6.50
-6.75										-6.75
-7.00										-7.00
-7.25										-7.25
-7.50										-7.50
-7.75										-7.75
-8.00										-8.00

FIG. 27B

SPH	+0.00	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	+2.00	CYL
+0.00										+0.00
+0.25										+0.25
+0.50										+0.50
+0.75										+0.75
+1.00										+1.00
+1.25										+1.25
+1.50										+1.50
+1.75										+1.75
+2.00										+2.00
+2.25										+2.25
+2.50										+2.50
+2.75										+2.75
+3.00										+3.00
+3.25										+3.25
+3.50										+3.50
+3.75										+3.75
+4.00										+4.00
+4.25										+4.25
+4.50										+4.50
+4.75										+4.75
+5.00										+5.00

FIG. 27C

SPH	+0.25	+0.50	+0.75	+1.00	+1.25	+1.50	+1.75	CYL
-0.50								-0.50
-0.75								-0.75
-1.00								-1.00
-1.25								-1.25
-1.50								-1.50
-1.75								-1.75
-2.00								-2.00
+0.25								+0.25
+0.50								+0.50
+0.75								+0.75
+1.00								+1.00
+1.25								+1.25
+1.50								+1.50
+1.75								+1.75




FIG. 28

T02070"98E56B60